







Entrez PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Box


Search PubMed for "small molecule"  

Limits Preview/Index History Clipboard Details

 Summary  Show: 20  Sort  Send to Text

About Entrez

Items 2641 - 2660 of 3469

Previous  133 of 174 Ne

Text Version

Entrez PubMed  
Overview  
Help | FAQ  
Tutorial  
New/Noteworthy  
E-Utilities

PubMed Services  
Journals Database  
MeSH Database  
Single Citation Matcher  
Batch Citation Matcher  
Clinical Queries  
LinkOut  
Cubby

Related Resources  
Order Documents  
NLM Catalog  
NLM Gateway  
TOXNET  
Consumer Health  
Clinical Alerts  
ClinicalTrials.gov  
PubMed Central

☐ 2641: Klekota B, Miller BL. Related Articles, Lin

Dynamic diversity and small-molecule evolution: a new paradigm for ligand identification.

Trends Biotechnol. 1999 May;17(5):205-9. Review.  
PMID: 10322446 [PubMed - indexed for MEDLINE]

☐ 2642: Smith RG, Feighner S, Prendergast K, Guan X, Howard A. Related Articles, Lin

A New Orphan Receptor Involved in Pulsatile Growth Hormone Release

Trends Endocrinol Metab. 1999 May;10(4):128-135.

PMID: 10322406 [PubMed - as supplied by publisher]

☐ 2643: Helmann JD. Related Articles, Lin

Anti-sigma factors.

Curr Opin Microbiol. 1999 Apr;2(2):135-41. Review.  
PMID: 10322161 [PubMed - indexed for MEDLINE]

☐ 2644: Boehm MF, Fitzgerald P, Zou A, Elgort MG, Bischoff ED, Mere L, Mais DE, Bissonnette RP, Heyman RA, Nadzan AM, Reichman M, Allegretto EA. Related Articles, Lin

Novel nonsecosteroidal vitamin D mimics exert VDR-modulating activities with less calcium mobilization than 1,25-dihydroxyvitamin D3

Chem Biol. 1999 May;6(5):265-75.

PMID: 10322128 [PubMed - indexed for MEDLINE]

☐ 2645: Kwong AD, Kim JL, Rao G, Lipovsek D, Raybuck SA. Related Articles, Lin

Hepatitis C virus NS3/4A protease.

Antiviral Res. 1999 Feb;41(1):67-84. Review.

PMID: 10321580 [PubMed - indexed for MEDLINE]

☐ 2646: Zhang B, Salituro G, Szalkowski D, Li Z, Zhang Y, Royo I, Vilella D, Diez MT, Pelaez F, Ruby C, Kendall RL, Mao X, Griffin P, Calaycay J, Zierath JR, Heck JV, Smith RG, Moller DE. Related Articles, Lin

Discovery of a small molecule insulin mimetic with antidiabetic activity in mice.

Science. 1999 May 7;284(5416):974-7.

PMID: 10320380 [PubMed - indexed for MEDLINE]

☐ 2647: Baba M, Nishimura O, Kanzaki N, Okamoto M, Sawada H, Iizawa Y, Shiraishi M, Aramaki Y, Okonogi K, Ogawa Y, Meguro K, Fujino M. Related Articles, Lin

A small-molecule nonpeptide CCR5 antagonist with highly potent and selective anti-HIV-1 activity.

Proc Natl Acad Sci U S A. 1999 May 11;96(10):5698-703.

PMID: 10318947 [PubMed - indexed for MEDLINE]

☐ 2648: [Saunders J, Tarby CM.](#)

Related Articles, Lin



Opportunities for novel therapeutic agents acting at chemokine receptors  
Drug Discov Today. 1999 Feb;4(2):80-92.  
PMID: 10234160 [PubMed - as supplied by publisher]

☐ 2649: [Atkinson MR, Ninfa AJ.](#)

Related Articles, Lin



Characterization of the GlnK protein of Escherichia coli.  
Mol Microbiol. 1999 Apr;32(2):301-13.  
PMID: 10231487 [PubMed - indexed for MEDLINE]

☐ 2650: [Groarke JM, Pevear DC.](#)

Related Articles, Lin



Attenuated virulence of pleconaril-resistant coxsackievirus B3 variants.  
J Infect Dis. 1999 Jun;179(6):1538-41.  
PMID: 10228078 [PubMed - indexed for MEDLINE]

☐ 2651: [Ficheux A, Argiles A, Bosc JY, Mion C.](#)

Related Articles, Lin



Analysis of the influence of the infusion site on dialyser clearances  
measured in an in vitro system mimicking haemodialysis and  
haemodiafiltration.  
Blood Purif. 1999;17(1):10-8.  
PMID: 10224334 [PubMed - indexed for MEDLINE]

☐ 2652: [Chen LL, Whitty A, Lobb RR, Adams SP, Pepinsky RB.](#)

Related Articles, Lin



Multiple activation states of integrin alpha4beta1 detected through their  
different affinities for a small molecule ligand.  
J Biol Chem. 1999 May 7;274(19):13167-75.  
PMID: 10224072 [PubMed - indexed for MEDLINE]

☐ 2653: [Burkhard P, Hommel U, Sanner M, Walkinshaw MD.](#)

Related Articles, Lin



The discovery of steroids and other novel FKBP inhibitors using a  
molecular docking program.  
J Mol Biol. 1999 Apr 16;287(5):853-8.  
PMID: 10222195 [PubMed - indexed for MEDLINE]

☐ 2654: [Aggen JB, Humphrey JM, Gauss CM, Huang HB, Nairn AC, Chamberlin AR.](#)

Related Articles, Lin



The design, synthesis, and biological evaluation of analogues of the  
serine-threonine protein phosphatase 1 and 2A selective inhibitor  
microcystin LA: rational modifications imparting PP1 selectivity.  
Bioorg Med Chem. 1999 Mar;7(3):543-64.  
PMID: 10220039 [PubMed - indexed for MEDLINE]

☐ 2655: [Baylink DJ, Strong DD, Mohan S.](#)

Related Articles, Lin



The diagnosis and treatment of osteoporosis: future prospects.  
Mol Med Today. 1999 Mar;5(3):133-40. Review.  
PMID: 10203737 [PubMed - indexed for MEDLINE]

☐ 2656: [McCarthy JR, Heinrichs SC, Grigoriadis DE.](#)

Related Articles, Lin



Recent advances with the CRF1 receptor: design of small molecule  
inhibitors, receptor subtypes and clinical indications.  
Curr Pharm Des. 1999 May;5(5):289-315. Review.  
PMID: 10213797 [PubMed - indexed for MEDLINE]

- ☐ 2657: [Felix JP, Bugianesi RM, Schmalhofer WA, Borris R, Goetz MA, Hensens OD, Bao JM, Kayser F, Parsons WH, Rupprecht K, Garcia ML, Kaczorowski GJ, Slaughter RS.](#) Related Articles, Lin



Identification and biochemical characterization of a novel nortriterpene inhibitor of the human lymphocyte voltage-gated potassium channel, Kv1.3.

Biochemistry. 1999 Apr 20;38(16):4922-30.

PMID: 10213593 [PubMed - indexed for MEDLINE]

- ☐ 2658: [Haque TS, Skillman AG, Lee CE, Habashita H, Gluzman IY, Ewing TJ, Goldberg DE, Kuntz JD, Ellman JA.](#) Related Articles, Lin



Potent, low-molecular-weight non-peptide inhibitors of malarial aspartyl protease plasmepsin II.

J Med Chem. 1999 Apr 22;42(8):1428-40.

PMID: 10212129 [PubMed - indexed for MEDLINE]

- ☐ 2659: [Hu LY, Ryder TR, Rafferty MF, Cody WL, Lotarski SM, Miljanich GP, Millerman E, Rock DM, Song Y, Stoehr SJ, Taylor CP, Weber ML, Szoke BG, Vartanian MG.](#) Related Articles, Lin



N,N-dialkyl-dipeptidylamines as novel N-type calcium channel blockers

Bioorg Med Chem Lett. 1999 Mar 22;9(6):907-12.

PMID: 10206559 [PubMed - indexed for MEDLINE]

- ☐ 2660: [Peterson RT, Desai BN, Hardwick JS, Schreiber SL.](#) Related Articles, Lin



Protein phosphatase 2A interacts with the 70-kDa S6 kinase and is activated by inhibition of FKBP12-rapamycin-associated protein.

Proc Natl Acad Sci U S A. 1999 Apr 13;96(8):4438-42.

PMID: 10200280 [PubMed - indexed for MEDLINE]

Items 2641 - 2660 of 3469

Previous **Page** 133 of 174 Next

**Display** Summary **Show:** 20 **Sort** **Send to** Text

[Write to the Help Desk](#)

[NCBI](#) | [NLM](#) | [NIH](#)

[Department of Health & Human Services](#)

[Privacy Statement](#) | [Freedom of Information Act](#) | [Disclaimer](#)

Nov 23 2004 06:26:50



Entrez PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Box

Search PubMed for [ ] [Go] [Clear]

Limits Preview/Index History Clipboard Details

Display Abstract Show: 20 Sort Send to Text

About Entrez

Text Version

☐ 1: Blood Purif. 1999;17(1):10-8.

Related Articles, LI

Entrez PubMed

Overview  
Help | FAQ  
Tutorial  
New/Noteworthy  
E-Utilities

PubMed Services

Journals Database  
MeSH Database  
Single Citation Matcher  
Batch Citation Matcher  
Clinical Queries  
LinkOut  
Cubby

Related Resources

Order Documents  
NLM Catalog  
NLM Gateway  
TOXNET  
Consumer Health  
Clinical Alerts  
ClinicalTrials.gov  
PubMed Central



## Analysis of the influence of the infusion site on dialyser clearance measured in an in vitro system mimicking haemodialysis and haemodiafiltration.

Ficheux A, Argiles A, Bosc JY, Mion C.

UDSA-AIDER, Montpellier, France.

**BACKGROUND:** Blood flow (QB), dialysate flow (QD), and dialyser characteristics are the three major factors driving dialysis efficacy. Haemodiafiltration has added an increased convective volume to increase efficacy. We aimed to assess the influence of the infusion site of the replacement fluid in an in vitro system emulating haemodiafiltration. **METHODS:** An in vitro system allowing us to control the dialysate temperature, concentration gradient, the flow of both dialyser sides over a range wider than that compatible with clinic, was set to evaluate the influence of the different parameters on dialysis efficacy. The total ion clearance was used as an accepted method for small molecule clearance assessment. Cellul triacetate (CT190C, Baxter; FB170U, Nipro) and polysulfone (HF80, Fresenius) dialysers were included in the study. Dialysis as well as on-line diafiltration both with pre- and postdilutional infusion were assessed. The experimental conditions presented in this study included QD 620 and 970 ml/min. The convective flows ranged from 50 to 200 ml/min. **RESULTS:** For QD = 620 ml/min and a QB = 350 ml/min the total ion clearance ranged from 269 to 274 for HF80, from 291 to 294 for FB170 and from 294 to 302 for CT190. The variability of the measurements was very low (SD < 1%). Total ion clearance increased by 17-21% when QB was raised from 300 to 400 ml/min. Increasing QD from 420 to 970 ml/min (for QB = 350 ml/min), resulted in an increase in total ion clearance which was more marked at low QD (from 420 to 620 ml/min) and plateaued thereafter (from 620 to 970 ml/min). Postdilutional on-line diafiltration with 100 ml/min of infusate resulted in an additional increase in total ion clearance of 5.4-8.6%. This increase was proportional to the infused volume. On the contrary, predilution on-line diafiltration resulted in a decrease in total ion clearance which was also proportional to the infused volume (between -5.1 and -6.9% at 100 ml/min infusion volume and -9.7 to -12.9% at 200 ml/min). **CONCLUSIONS:** The present in vitro system provided accurate and reproducible results on dialyser clearances. Our experiments confirmed previous studies on the influence of (

and QD on dialyser efficacy. Further, they show that the proportional increase in postdilutional on-line diafiltration is lesser than that previously reported. More importantly, they also show that pre-dilution infusion in high efficiency systems results in a drop in dialyser clearance compared to dialysis alone, again proportional to the infusion rate. Thus, increasing the convective flow may increase dialysis efficacy even more than increasing QD alone. However, the choice of infusion site is crucial to obtaining this benefit in small molecule clearances.

PMID: 10224334 [PubMed - indexed for MEDLINE]

---

|         |          |       |    |      |         |      |
|---------|----------|-------|----|------|---------|------|
| Display | Abstract | Show: | 20 | Sort | Send to | Text |
|---------|----------|-------|----|------|---------|------|

[Write to the Help Desk](#)  
[NCBI](#) | [NLM](#) | [NIH](#)  
[Department of Health & Human Services](#)  
[Privacy Statement](#) | [Freedom of Information Act](#) | [Disclaimer](#)

Nov 23 2004 06:26:50

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☒ **BLACK BORDERS**

☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**

☐ **FADED TEXT OR DRAWING**

☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**

☐ **SKEWED/SLANTED IMAGES**

☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**

☐ **GRAY SCALE DOCUMENTS**

☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**

☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**

☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**